

Inventar Beleuchtung

Lichtsteuerung

| | | | |
|--------------------|------------------------|-----------------|---------------------|
| Hauptanlage | ETC Ti 8192 Kreise | Havarie | ETC EOS 8192 Kreise |
| Client 1 | ETC ION 3072 Kreise | Client 2 | ETC ION 3072 Kreise |
| Client 3 | Computer für Regiepult | | |

Scheinwerfer

| Anzahl | Typ | Farbwechsler | Bemerkung |
|--------|--|---------------------------|-----------|
| 2 | HMI Arri 2.5 kW mit Farbwechsler | Lichttechnik Magmax 15 F. | mobil |
| 3 | HMI Arri 2.5 kW motorisiert mit Farbwechsler | Lichttechnik Magmax 15 F. | mobil |
| 5 | Moving Lights High End System SolaSpot Pro 1500 | CMY | mobil |
| 4 | Moving Lights High End System SolaWash FX1000 | CMY | mobil |
| 11 | Moving Lights Martin MH-6 | RGBW | mobil |
| 10 | Ballett - Türme à 4 x ETC Source Four LED Profiler Lustr+, 15° – 30° | LED 7 Farben | mobil |
| 2 | Ballett – Türme à 4 ETC Source Four Par + FW | Wybron Forerunner | mobil |
| 6 | Fresnel Arri 5 KW mit Farbwechsler | Compulite 12 Farben | mobil |
| 6 | Fresnel 2 KW , Strand Quartzcolor Castor 273, 8.5° – 45°, 6 Torblenden | | mobil |
| 4 | Fresnel 2 KW , ADB F 201, 12° – 61°, 2 Torblenden | | mobil |
| 4 | PC 2 KW , ADB C 201, 5° – 61° | | mobil |
| 4 | 1,2 KW Profiler, Niethammer Enizoom HPZ 112D | | mobil |
| 8 | 750 W Profiler, ETC Source Four 25 – 50° | | mobil |
| 2 | Pani 1,2 KW HMI Projektoren, 11 – 33cm Objektive | | mobil |
| 10 | Svoboda Rampen | | mobil |

| Anzahl | Typ | Farbwechsler | Bemerkung |
|---------------|--|---------------------|--------------------------|
| 22 | Horizontleuchten 2 x 2 KW in 4 Gruppen, asymmetrische Fluter | | Fix montiert Hinterbühne |
| 8 | Horizontleuchten 2 x 2 KW, asymmetrische Fluter | | mobil |
| 4 | Horizontleuchten 1 x 2 KW, asymmetrische Fluter | | mobil |
| 8 | Halogenfluter 1 kW symmetrisch | | mobil |
| 12 | Stangen à 4 Par 64 CP60, CP 61, CP 62 | | verhängbar |
| 8 | LED Par 64 RGBW Lightmaxx Tour Spot Pro 18x8W (8 Bit) | RGBW | mobil |
| 4 | LED Fluter RGBW Lightmaxx Tour Wash Pro 18x8W (8 Bit) | RGBW | mobil |
| 10 | LED Wall Washer Lightmaxx Tour Pix Pro 16x8W (8 Bit) | RGBW | mobil |
| 20 | LED Flat Par 64 RGBW (Chinaware) | RGBW | mobil |
| 36 | LED Flat Par 64 RGBAW 230V/Akku (Chinaware) | RGBAW | mobil |
| 8 | Halogenleuchten 1-reihig, 900 W NV (Blinder 1) | | mobil |
| 8 | Halogenleuchten 2-reihig, 900 W NV (Blinder 2) | | mobil |
| 1 | Halogenleuchten 3-reihig, 900 W NV (Blinder 3) | | mobil |
| 4 | Halogenfussrampen 7 x 50 W, 4 Kreise | | mobil |
| 8 | FL Fussrampen RGBW 0 – 100% | | mobil |
| 10 | FL - Rampen 4 Stromkreise VIP90 geregelt 0 – 100% | | mobil |
| 3 | Stroboskope SGM LED | | mobil |
| 40 | Par 64 | | mobil |
| 4 | NV 250 W | | mobil |
| 4 | HQI 400W Weiss | | verhängbar |
| 2 | Niederdruck Natriumdampf Röhren | | mobil |
| 2 | Hochdruck Natriumdampf Leuchten | | verhängbar |
| | Klemm - Halogenleuchten | | |
| | Klemm - Spots | | |

| Anzahl | Typ | Farbwechsler | Bemerkung |
|-----------------------------------|--|---------------------|-----------|
| Portaltürme Li + Re | | | |
| 3 | 2 KW Fresnel mit Farbwechsler | Compulite 16 Farben | |
| 1 | PC 1 KW | | |
| 2 | 1,2 KW Profiler, Niethammer Enizoom | | |
| 1 | 1,2 KW Profiler, Niethammer Enizoom (101, 151) | | |
| Hinterbühnentürme Li + Re | | | |
| 3 | Wandhalterungen in den Höhen 5 – 6m | | |
| Rang Mitte (Zuschauerraum) | | | |
| 4 | 1,2 KW Profiler, ADB Warp | Compulite 16 Farben | |
| Regieloge | | | |
| 5 | Deckenhalterungen | | |
| Galerie Re | | | |
| 10 | 2 KW Profiler | | |
| Galerie Li | | | |
| 8 | 2 KW Profiler | | |
| Galerie hinten | | | |
| 4 | 500 W NV | | |

| Anzahl | Typ | | Farbwechsler | Bemerkung |
|----------------------------|---|-----|--------------|----------------|
| Oberlichtzug | | | | |
| 6 | Moving Lights Robe Robin DLF Wash | LED | CMY | fest montiert |
| 4 | Moving Lights Robe MMX 700 Spot | HMI | CMY | fest montiert |
| Portalbrücke | | | | |
| 2 | Moving Lights Robe Robin DLF Wash | LED | CMY | |
| 12 | 2 KW PC | | | |
| 10 | 1,2 KW Profiler, Niethammer Enizoom | | | |
| 6 | NV 500 W | | | |
| 4 | NV 250 W | | | |
| 8 | FL Wannen RGBW in 3 Gruppen, dimmbar 0-100% | | RGBW | |
| 12 | Halogen Oberlichter Rot, Gelb, Blau, Weiss | | | |
| Z - Brücke Mi vorne | | | | |
| 2 | Moving Lights High End System SolaSpot Pro 1500 | | CMY | Vorbühnenzug 2 |
| 6 | Moving Lights Robe Robin DLF Wash | LED | CMY | Vorbühnenzug 1 |
| 2 | Moving Lights Robe Robin DLS Profile | LED | CMY | Vorbühnenzug 1 |
| 2 | Moving Lights Robe Robin DLX Spot | LED | CMY | Vorbühnenzug 1 |
| 10 | ETC Source Four Profiler 750W 15° – 30° | | | |
| 2 | NV 500 W | | | |

| Anzahl | Typ | Farbwechsler | Bemerkung |
|--------------------------|--|-----------------------------|-----------|
| Z - Brücke Hinten | | | |
| 4 | 2.5 KW Profiler mit Farbwechsler | Compulite 16 Farben | |
| 4 | 2 KW Profiler mit Farbwechsler | Compulite 16 Farben | |
| 2 | NV 1kW | | |
| 2 | Verfolger AGO HMI 2500W, 7° - 17° | Compulite 16 Farben | |
| 2 | HMI Profiler Lighting Innovation Inno Four 575W mit Farbwechsler | Wybron Forerunner 16 Farben | |
| Z - Brücke Re | | | |
| 5 | 2 KW Profiler mit Farbwechsler | Compulite 16 Farben | |
| 5 | 2 KW Profiler | | |
| 1 | Moving Lights Robe MMX 700 Spot HMI | CMY | |
| 1 | Moving Lights High End System SolaSpot Pro 1500 | CMY | |
| 1 | HMI Profiler Lighting Innovation Inno Four 575W mit Farbwechsler | Wybron Forerunner 16 Farben | |
| Z - Brücke Li | | | |
| 5 | 2 KW Profiler mit Farbwechsler | Compulite 16 Farben | |
| 2 | 2 KW Profiler | | |
| 1 | Moving Lights Robe MMX 700 Spot HMI | CMY | |
| 1 | Moving Lights High End System SolaSpot Pro 1500 | CMY | |
| 1 | HMI Profiler Lighting Innovation Inno Four 575W mit Farbwechsler | Wybron Forerunner 16 Farben | |

| Anzahl | Typ | | | | Farbwechsler | Bemerkung |
|-----------------|-----------------------------------|-----|-------|--|--------------|-----------|
| Rinne Re | | | | | | |
| 4 | 1,2 KW Profiler Niethammer | | | | | |
| 1 | Moving Lights Robe Robin DLF Wash | LED | unten | | CMY | |
| 1 | Moving Light Robe Spot MMX 700 | HMI | oben | | CMY | |
| Rinne Li | | | | | | |
| 4 | 1,2 KW Profiler Niethammer | | | | | |
| 1 | Moving Lights Robe Robin DLF Wash | LED | unten | | CMY | |
| 1 | Moving Light Robe Spot MMX 700 | HMI | oben | | CMY | |

Inventory LX-department

Consoles

| | | | |
|-------------------|-------------------------------|-----------------|----------------------|
| Main board | ETC Ti 8192 Channel | Backup | ETC EOS 8192 Channel |
| Client 1 | ETC ION 3072 Channel | Client 2 | ETC ION 3072 Channel |
| Client 3 | Computer for production table | | |

Lighting fixtures

| Number | Type | Scroller | Note |
|--------|--|---------------------------|----------|
| 2 | HMI Arri 2.5 kW plus scroller | Lichttechnik Magmax 15 C. | portable |
| 3 | HMI Arri 2.5 kW motorized plus scroller | Lichttechnik Magmax 15 C. | portable |
| 5 | Moving Lights High End System SolaSpot Pro 1500 | CMY | portable |
| 4 | Moving Lights High End System SolaWash FX100 | CMY | portable |
| 11 | Moving Lights Martin MH-6 | RGBW | portable |
| 10 | Booms à 4 x ETC Source Four LED Profiler Lustr+, 15° – 30° | LED 7 colors | portable |
| 2 | Booms à 4 ETC Source Four Par plus scroller | Wybron Forerunner | portable |
| 6 | Fresnel Arri 5 KW plus scroller | Compulite 12 colors | portable |
| 6 | Fresnel 2 KW, Strand Quartzcolor Castor 273, 8.5° – 45°, 6 barndoors | | portable |
| 4 | Fresnel 2 KW , ADB F 201, 12° – 61°, 2 barndoors | | portable |
| 4 | PC 2 KW , ADB C 201, 5° – 61° | | portable |
| 10 | PC 1 KW, Coemar Passo 1000, 8.5° – 50° plus barndoor | | portable |
| 4 | 1,2 KW profile, Niethammer Enizoom HPZ 112D | | portable |
| 8 | 750 W profile, ETC Source Four 25 – 50° | | portable |
| 2 | Pani 1,2 KW HMI projectors, 11 – 33cm lenses | | portable |
| 10 | Svoboda striplight | | portable |

| Number | Type | Scroller | Note |
|--------|--|----------|--------------------|
| 22 | Cyclorama lights 2 x 2 KW in 4 groups, asymetric | | installed offstage |
| 8 | Cyclorama lights 2 x 2 KW, asymetric | | portable |
| 4 | Cyclorama lights 1 x 2 KW, asymetric | | portable |
| 8 | Floodlights 1 kW symmetrical | | portable |
| 12 | Bars à 4 Par 64 | | hangable |
| 8 | LED Par 64 RGBW Lightmaxx Tour Spot Pro 18x8W (8 Bit) | RGBW | portable |
| 4 | LED floodlights RGBW Lightmaxx Tour Wash Pro 18x8W (8 Bit) | RGBW | portable |
| 10 | LED Wall Washer Lightmaxx Tour Pix Pro 16x8W (8 Bit) | RGBW | portable |
| 20 | LED Flat Par 64 RGBW (China) | RGBW | portable |
| 36 | LED Flat Par 64 RGBAW (China) | RGBAW | portable |
| 8 | Halogen lamps 1 row, low-voltage 900W (Blinder 1) | | portable |
| 8 | Halogen lamps 2 rows, low-voltage 900W (Blinder 2) | | portable |
| 1 | Halogen lamps 3 rows, low-voltage 900W (Blinder 3) | | portable |
| 4 | Footlights (halogen) 7 x 50 W, 4 channels | | portable |
| 8 | Footlights LDDE (fluorescent) RGBW 0 – 100% | | portable |
| 10 | 4 framed fluorescent lights, 4 channels, VIP90 dimmable 0-100% | | portable |
| 3 | Strobes SGM LED | | portable |
| 40 | Par 64 | | portable |
| 4 | Low-voltage lamp 250 W | | portable |
| 4 | HQI 400W white | | hangable |
| 2 | Low pressure sodium vapour lamp | | portable |
| 2 | High pressure sodium vapour lamp | | hangable |
| | Clip – Halogenspots | | |
| | Clip – Spots | | |

| Number | Type | Scroller | Note |
|----------------------------------|--|---------------------|------|
| Bridge towers L & R | | | |
| 3 | Fresnel 2 KW plus scroller | Compulite 16 colors | |
| 1 | PC 1 KW | | |
| 2 | 1,2 KW profile, Niethammer Enizoom | | |
| 1 | 1,2 KW profile, Niethammer Enizoom (ch101 & 151) | | |
| Backstage tower L & R | | | |
| 3 | Wall holdfast on 5m & 6m height | | |
| Center balcony (audience) | | | |
| 4 | 1,2 KW profile, ADB Warp | Compulite 16 colors | |
| Proscenium box (audience) | | | |
| 5 | Ceiling holdfast | | |
| Galery stage left | | | |
| 10 | 2 KW profile | | |
| Galery stage right | | | |
| 8 | 2 KW profile | | |
| Galery upstage | | | |
| 4 | Low voltage lamp 500 W | | |

| Number | Type | Scroller | Note |
|--|---|----------|-----------------|
| Electric | | | |
| 6 | Moving Lights Robe Robin DLF Wash LED | CMY | fix installed |
| 4 | Moving Lights Robe MMX 700 Spot HMI | CMY | fix installed |
| Portal bridge | | | |
| 2 | Moving Lights Robe Robin DLF Wash LED | CMY | |
| 12 | 2 KW PC | | |
| 10 | 1,2 KW profile, Niethammer Enizoom | | |
| 6 | Low voltage lamp 500 W | | |
| 4 | Low voltage lamp 250 W | | |
| 8 | 4 framed fluorescent lights RGBW in 3 groups, dimmable 0-100% | RGBW | |
| 12 | Floodlight-group red, yellow, blue, no color, each 250W | | |
| FOH lighting bridge (forestage) | | | |
| 2 | Moving Lights High End System SolaSpot Pro 1500 | CMY | Forestage-fly 2 |
| 6 | Moving Lights Robe Robin DLF Wash LED | CMY | Forestage-fly 1 |
| 2 | Moving Lights Robe Robin DLS Profile LED | CMY | Forestage-fly 1 |
| 2 | Moving Lights Robe Robin DLX Spot LED | CMY | Forestage-fly 1 |
| 10 | ETC Source Four Profiler 750W 15° – 30° | | |
| 2 | Low voltage lamp 500 W | | |

| Number | Type | Scroller | Note |
|-------------------------------------|--|---------------------|------|
| FOH lighting bridge (center) | | | |
| 4 | 2.5 KW profile plus scroller | Compulite 16 colors | |
| 4 | 2 KW profile plus scroller | Compulite 16 colors | |
| 2 | Low voltage lamp 1kW | | |
| 2 | Follow AGO HMI 2500W, 7° - 17° | Compulite 16 colors | |
| 2 | HMI profile Lighting Innovation Inno Four 575W plus scroller | Wybron Forerunner | |
| FOH lighting bridge (left) | | | |
| 5 | 2 KW profile plus scroller | Compulite 16 colors | |
| 5 | 2 KW profile | | |
| 1 | Moving Light Robe Spot MMX 700 HMI | CMY | |
| 1 | Moving Light High End System SolaSpot Pro 1500 | CMY | |
| 1 | HMI profile Lighting Innovation Inno Four 575W plus scroller | Wybron Forerunner | |
| FOH lighting bridge (right) | | | |
| 5 | 2 KW profile plus scroller | Compulite 16 colors | |
| 2 | 2 KW profile | | |
| 1 | Moving Light Robe Spot MMX 700 HMI | CMY | |
| 1 | Moving Light High End System SolaSpot Pro 1500 | CMY | |
| 1 | HMI profile Lighting Innovation Inno Four 575W plus scroller | Wybron Forerunner | |

| Number | Type | Scroller | Note |
|-------------------------|---|----------|------|
| Proscenium left | | | |
| 4 | 1,2 KW profile Niethammer | | |
| 1 | Moving Lights Robe Robin DLF WashLED bottom | CMY | |
| 1 | Moving Light Robe Spot MMX 700 HMI top | CMY | |
| Proscenium right | | | |
| 4 | 1,2 KW profile Niethammer | | |
| 1 | Moving Lights Robe Robin DLF WashLED bottom | CMY | |
| 1 | Moving Light Robe Spot MMX 700 HMI top | CMY | |